

Tracking of Deformable Objects in Augmented Reality

Keywords

Augmented Reality, Object tracking, Deformable models

Supervisors

- Maud Marchal, Maître de Conférences, IRISA/INSA Rennes, maud.marchal@irisa.fr
- Jean-Marie Normand, Maître de Conférences, ECN Nantes, jean-marie.normand@ec-nantes.fr
- Guillaume Moreau, Professeur des Universités, ECN Nantes guillaume.moreau@ec-nantes.fr

Laboratory

- Inria Rennes / IRISA – Hybrid Team or AAU CRENAU Nantes

Context

Augmented Reality (AR) has drawn major attention in recent years from both the industry and research groups. One of the main challenges of AR lies in the geometrical integration between the real and the virtual worlds. Registering both worlds is usually achieved by computing a geometrical transform between a known model (composed of geometric features) and their homologous features seen by a sensor, most of the time a camera.

Several approaches have been proposed regarding this registration task:

- the first one is called tracking and consists in estimating a camera pose at time $t+dt$ from time t assuming only a small motion was performed and an initial position is known (with a drift risk);
- the second type of approach assumes there exists in the real scene known rigid objects that image processing will be able to detect. Those objects may be markers (historical AR), 2D images or 3D objects. The challenge consists of retrieving features in the scene before matching them to the model features and finally robustly computing a rigid transformation between the two sets (since under and over detection of features as well as noise may occur);
- the third type of approach relies on so-called natural feature points, i.e. points that are assumed to be detected in several images of the same scene. Corners can belong to this category. A series of techniques based on simultaneous reconstruction and mapping (SLAM) have been proposed. No previous knowledge of the scene is required but those techniques either require a large number of points and views but are also prone to drift. Recent works may be adapted to fewer points [ESC14]. They require a static scene model such as an urban scene although some noise can be taken into account.

A detailed and recent survey of all those approaches can be found in [MUS16].

The general purpose of the internship is to overcome the limitations of present AR to take into account deformable models. As they are difficult to model, the idea to track deformable models is to be able to replicate the underlying principle of SLAM, i.e. building the model and registering it as the same time by accumulating information through multiple images, possibly of different types (RGB or RGB-D).

An indicative work plan could be the following:

- Bibliography on AR and physically-based simulations of deformable objects with a special focus on recent works on tracking of deformable models. Some recent references are provided in the References section.
- AR tracking of deformable models, e.g. by extending [YNM15] when taking into account a known physical model.
- Propose techniques to identify the physical properties of deformable objects from a set of (RGB-D or RGB-D) images.

References

[CBBC16] Toby Collins, Adrien Bartoli, Nicolas Bourdel, and Michel Canis. Robust, Real-Time, Dense and Deformable 3D Organ Tracking in Laparoscopic Videos, pages 404–412. Springer International Publishing, Cham, 2016.

[CDA99] Stéphane Cotin, Hervé Delingette, and Nicholas Ayache. Real-time elastic deformations of soft tissues for surgery simulation. *IEEE transactions on Visualization and Computer Graphics*, 5(1):62–73, 1999.

[ESC14] J. Engel, T. Schöps, and D. Cremers. LSD-SLAM: Large-scale direct monocular SLAM. In *European Conference on Computer Vision (ECCV)*, September 2014.

[MUS16] E. Marchand, H. Uchiyama, and F. Spindler. Pose estimation for augmented reality: A hands-on survey. *IEEE Transactions on Visualization and Computer Graphics*, 22(12):2633–2651, Dec 2016.

[YNM15] Liming Yang, Jean-Marie Normand, and Guillaume Moreau. Local geometric consensus: a general purpose point pattern-based tracking algorithm. *IEEE Transactions on Visualization & Computer Graphics*, July 2015